

U.S. NATIONAL LIBRARY OF MEDICINE  
REFERENCE DIVISION

STAPHYLOCOCCAL INFECTION

A bibliography, covering literature of 1952 through May 1958

DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

Public Health Service

Washington, D. C.

June 1958



## PREFACE

54  
The development in staphylococci of resistance to antibiotics has resulted in the acquisition of lethal properties not confined to single clinical cases, but occasionally causing hospital epidemics, notably in nurseries, maternity wards and surgical wards. Hospital outbreaks are sometimes so general that they necessitate closing the entire hospital. Nor is this condition confined to the hospital; it is also found in the home, the school and in the community.

This bibliography consists of references to English, French and German literature on the clinical and epidemiological aspects of staphylococcal infection. Bacteriological studies were not considered per se, but they appear in many articles as an adjunct to the main thesis.

The references were selected from the public catalog of the National Library of Medicine, Quarterly Cumulative Index Medicus, Current List of Medical Literature and from sections, 4, 6, 7, 9, and 17 of Excerpta Medica: Medical Microbiology and Serology, Internal Medicine, Pediatrics, Surgery, and Public Health, Social Medicine and Hygiene; all available issues of these publications for the period 1952 to May 1958 were searched. The most recent numbers of selected periodicals, not yet indexed, were examined for pertinent articles.

Arch.  
ZWC  
250  
458s  
3 1958  
c.1

To facilitate finding material that might be of special interest, a capital letter is appended to each entry; this indicates the nature of its main content:

- S Case or cases caused by antibiotic sensitive or resistant staphylococci.
- H Staphylococcal infection in hospital; epidemiological studies, occurrence, prevention.
- C Staphylococcal infection in the home, school or community.

DOROTHY BOCKER, M.D.  
Medical Officer  
National Library of Medicine

May 30, 1958

## STAPHYLOCOCCAL INFECTION

A bibliography, covering literature of 1952 through May 1958.

1. Adams, R. Prevention of infection in surgical wounds. N. England J. M., 1957, 256: 625-628. 15 references. H
  2. Aicardi, J. Traitement des staphylococcies pleuropulmonaire. Vie méd., Par., 1954, 35: 983-988. S
  3. Altman, S. G. and Brandt, M. L. A fatal complication of gynecological surgery. Am. J. Obst., 1955, 69: 425-428. S
  4. American Academy of Pediatrics. Standards and recommendations for hospital care of newborn infants, full term and premature. Evanston, Ill., Am. Acad. Pediat., 1957, 144p. Note: Epidemics, p. 32-36; Outline for self-rating of newborn nurseries, p. 137-140. H
- American Medical Association. Conference on Staphylococcic Infections. J. Am. M. Ass., 1958, 166: 1177-1203. H
5. Mudd, S. Staphylococcic infections in the hospital and community, p. 1177-1178.
  6. Wise, R. I. Principles of management of staphylococcic infections, p. 1178-1182.
  7. Burnett, W. E. and others. Program for prevention and eradication of the staphylococcic infections, p. 1183-1184.
  8. Brown, J. W. Hygiene and education within the hospitals to prevent staphylococcic infections, p. 1185-1191. 23 references.
  9. Blair, J. E. and Carr, M. Staphylococci in hospital-acquired infections; types encountered in the United States, p. 1192-1196. 24 references.
  10. Godfrey, M. E. and Smith, I. M. Hospital hazards of staphylococcic sepsis, p. 1197-1201.
  11. Langmuir, A. F. Ecologic and epidemiologic aspects of staphylococcic infections in hospitals, p. 1202-1203. 19 references.



American Public Health Association. Symposium on Staphylococcal Infections. Am. J. Pub. Health, 1958, 48: 277-318.

H C

12. Ravenholt, R. T. and Ravenholt, O. H. Staphylococcal infections in the hospital and community: Hospital environment and staphylococcal disease, p. 277-287.
13. Wentworth, F. H., Miller, A. L. and Wentworth, B. B. Observations relative to the nature and control of epidemic staphylococcal disease, p. 287-298.
14. Fekety, F. R., Buchbinder, L., Shaffer, E. L., Goldberg, S., Price, H. P. and Pyle, L. A. Control of an outbreak of staphylococcal infections among mothers and infants in a suburban hospital, p. 298-310.
15. Murray, W. A., McDaniel, G. E. and Reed, M. Evaluation of phone survey in an outbreak of staphylococcal infection in a hospital nursery for the newborn, p. 310-318.
16. Anderson, P. H. and Stone, D. M. Staphylococcal food poisoning associated with spray-dried milk. J. Hyg., Lond., 1955, 53: 387-397. C
17. Andreassen, R. and Jensen, N. K. Bacterial endocarditis following mitral valvulotomy. Ann. Int. M., 1956, 45: 534-540. 27 references.
18. Appleton, D. M. and Waisbren, B. A. Prophylactic use of chloramphenicol in transurethral resection of prostate gland. J. Urol., Balt., 1956, 75: 304-313. H
19. Arnaud-Battandier, L. P. Entérite staphylococcique post-antibiotique. Pédiatrie, 9: 868-870. S
20. Austrian, R. Staphylococcal enteritis as a complication of antibiotic therapy. N. York State J. M., 1955, 55: 2475-2479. 17 references. S
21. Baden, W. F. Staphylococcal, and subsequent candida albicans enterocolitis complicating novobiocin therapy. Am. J. Obst., 1957, 74: 47-52. S
22. Bahnson, H. T., Spencer, F. C. and Bennett, I. L., Jr. Staphylococcal infections of the heart and great vessels due to silk suture. Ann. Surg., 1957, 146: 399-406. H

23. Baldwin, J. N., Rheins, M. B., Sylvester, R. F., Jr., and Shaffer, T. E. Staphylococcal infections in newborn infants. III. Colonization of newborn infants by staphylococcus aur. pyogenes. J. Dis. Child., 1957, 94: 107-116. H
24. Ballou, C. F. and Kirchner, F. C. Post-mitral valvotomy staphylococcal endocarditis; report of a case. Med. Ann. District of Columbia, 1957, 26: 237-241. H
25. Barnard, H. F. The sterilization of woolen fabrics. Brit. M. J., 1952, 4748: 21-24. H
26. Barber, M. Staphylococcal infection in hospital. Proc. R. Soc. M., Lond., 1956, 49: 266-268. 16 references. H
27. Barber, M. and Wilson, B. D. R. Spread of staphylococcus aureus in a maternity department in the absence of severe sepsis. J. Obst. Gyn. Brit. Empire, 1953, 60: 476-482. H
28. Bariéty, M., Coury, C., Poulet, J., Acar, J. and Abelanet, R. Considérations diverses à propos d'une staphylococcie pulmonaire mortelle; emphysème sous-cutané et médiastinal par perforation dans l'espace extrapleurale. Bull. Soc. méd. hôp., Paris, 1954, 70: 1019-1028. S
29. Barnett, W. O. Staphylococcal empyemia in infancy. Am. Surgeon, 1957, 23: 713-719. S
30. Barrow, G. I. Clinical and bacteriological aspects of impetigo contagioso. J. Hyg., Lond., 1955, 53: 495-508. 31 references. H
31. Bastin, R. and Morin, H. Evolution et traitement des endocardites staphylococciques. Gaz. méd. France, 1957, 64: 1337-1345. S
32. Battersby, E. F. and Stringer, H. Pathogenic staphylococci in a maternity annex. N. Zealand M. J., 1954, 53: 420-422. H
33. Baylon, H., Darbon, A. and Dulac, J. F. A propos de 12 observations de septicémie à staphylocoque. Bull. Soc. méd. mil. fr., 1956, 50: 110-115. S
34. Beau, H., Dorland, P. and Magnet. Un cas de staphylococcie pulmonaire à foyers multiples, associé à une ostéomyélite massive de l'os coxal et à une arthrite aiguë coxo-fémorale. J. radiol. électr., 1953, 34: 364-366. S

35. Beaven, D. W. and Burry, A. F. Staphylococcal pneumonia in the newborn; an epidemic with 8 fatal cases. *Lancet, Lond.*, 1956, 271: 211-215. H
36. Bellidenty, C. and Potier, D. Sur un cas de pyopneumothorax staphylococcique chez un nourrisson de 6 mois. *Méd. trop.*, Marseille, 1957, 17: 276-278. S
37. Benhamou, E., Albou, E. and Laaban, J. Les péricardites infectieuses aiguës à germe connu; a propos de 6 observations. *Arch. mal. coeur.*, 1954, 47: 795-806. 15 references. S
38. Berger, M. IV. Prophylaxe. *Praxis, Bern.*, 1956, 45: 676-677. The final article in a series on staphylococcal infections. H
39. Berker, F. and Napp, J. H. Resistenz-Probleme in Krankenhaus; die Häufigkeit resistenter Staphylokokkenstämme in Nasen-Rachen-Raum von Patienten und Personal verschiedener Kliniken. *Deut. med. Wschr.*, 1953, 78: 470-472. H
40. Bernheim, M., Francois, R. and Astreoud, J. Lobectomie pratiquée avec succès chez un nourrisson de trois mois présentant une staphylococcie pleuro-pulmonaire avec pyopneumothorax. *Pédiatrie*, 1956, 11: 583-587. S
41. Bertrand-Fontaine, T. La cortico-thérapie dans le traitement des septicémies à staphylocoques. *Bull. Acad. nat. méd., Par.*, 1957, 141: 547-550. S
42. Bess, J. A., Steinbring, W. R., Willard, C. and Felton, H. M. Epidemiologic study of a hospital outbreak of micrococcic infections. *J. Am. M. Ass.*, 1958, 166: 731-734. H
43. Binder, L. Über die Röntgensymptome der primären Staphylokokkenpneumonie im Säuglings-und Kleinkindesalter. *Fortsch. Röntgenstrahl.*, 1955, 82: 585-590. S
44. Bishoff, R. J. The incidence and significance of antibiotic-resistant organisms in hospitals and communities. *Delaware M. J.*, 1957, 29: 97-100. 19 references. H C
45. Blanche, D.W. Osteomyelitis in infants. *J. Bone Surg.*, 1952, 34A: 71-84. S



46. Blas, F. M. Les staphylococcies pleuro-pulmonaires du nourrisson; problèmes thérapeutiques. Thesis (Paris-1955). 79p. 70 references. SH
47. Blattner, R. J. Problems associated with resistant staphylococci. Med. Bull. U. S. Army Europe, 1957, 14: 7-8. H
48. Blog, H. C., Connor, C.A.R., Newman, W. and Kenny, M. Prolonged staphylococcemia; report of a case. N. England J. M., 1955, 252: 185-187. S
49. Blowers, R. and Potter, J. Clean beds. Lancet, Lond., 1957, 272: 629-631. H
50. Blowers, R. and Wallace, K. R. The sterilization of blankets with cetyl trimethylamine bromide. Lancet, Lond., 1955, 268: 1250-1251. H
51. Blowers, R., Mason, G. A., Wallace, K. R., and Walton, M. Control of wound infection in a thoracic surgery unit. Lancet, Lond., 1955, 269: 786-794. 22 references. H
52. Bondi, A., Pfaff, F., Free, E. and Swerlick, R. Public health aspects of the development of antibiotic-resistant staphylococci. Am. J. Pub. Health, 1954, 44: 789-793. 15 references. HC
53. Bonnet, P., Bonnet, J. L. and Bonnet, I. Absès métastatique du nerf optique au cours d'une septicémie à staphylocoques. Rev. otoneur., Par., 1955, 27: 480-481. S
54. Boute, M. L., Latiers, P. and Bougaux, C. Documents cliniques concernant les staphylococcies pleuropulmonaires du nourrisson. Acta chir. belg., 1954, 53: 21-29. S
55. Boy, J., Wallon, D. and Lauras, H. Prostatite suppurée à staphylocoque chez un nourrisson de 5 semaines. Arch. fr. pédiat., 1953, 10: 1071-1074. S
56. Bret, J., Coupe, C., Bardiaux, M. and LeGros, R. Les staphylococcies vaginales en dehors et au cours de la grossesse; pathologie du post-partum et pathologie néo-natale; prophylaxie; traitement. Gyn. obst., Par., 1957, 56: 410-419. S
57. Breuning, M. Behandlung chronischer Staphylokokkenträger mit Tetrazyklin-und Antipiolsnasensalbe. Zbl. Gyn., 1957, 79: 29-32. 17 references. H

58. Briggs, J. N. Staphylococcic pneumonia in infants and young children. *Canad. M. Ass. J.*, 1957, 76: 269-272. H
59. Brodie, J., Kerr, M. R. and Sommerville, T. The hospital staphylococcus; a comparison of nasal and faecal carrier states. *Lancet, Lond.*, 1956, 270: 19-20. H
60. Brodie, J., Jamieson, W. and Sommerville, T. Complications of oxytetracycline and tetracycline therapy related to a defined type of resistant staphylococcus. *Lancet, Lond.*, 1955, 269: 223-225. H
61. Brown, P. D. Two cases of staphylococcal psoas abscess in patients on cortisone therapy. *West Afr. M. J.*, 1956, 5: 134-136. S
62. Brown, W. J., Winston, R. and Sommers, S. C. Membranous staphylococcal enteritis after antibiotic therapy; report of two cases. *Am. J. Digest Dis.*, 1953, 20: 73-75. S
63. Brun, J., Viallier, J. and Kalb, J. C. Staphylococcie pulmonaire pseudo-tuberculeuse à germes streptomycino-résistants très aggravée par un traitement streptomycinique; guérison avec pénicilline et erythromycine. *Lyon méd.*, 1956, 88: 197-201. S
64. Budetti, J. A. and Seydell, E. M. Childhood granulomas; report of a case of obstructive growth in the ear canal. *J. Kansas M. Soc.*, 1957, 58: 591. S
65. Buisine, A. and Lefebvre, R. Méningite à staphylocoques chez un enfant de 3 mois; guérison. *J. sc. méd. Lille*, 1953, 71: 304-307. S
66. Bunn, P., Baltch, A., Osborne, W. and Camarili, L. Staphylococci; on the ubiquitous nature of human infections and their control by antimicrobial agents singly or in combinations. *Ann. Int. M.*, 1958, 48: 102-113. SH
67. Burton, I. F. and Sosin, A. Erysipelatous skin necrosis in a newborn infant caused by lethal toxin of staphylococcic origin. *Pediatrics*, 1956, 18: 249-253. S
68. Butter, J. R. Acute fulminating enterocolitis following the use of antibiotics. *South. M. J.*, 1954, 47: 224-226. S

- Canadian Hospital Association. A symposium on controlling staphylococcus. *Canad. Hosp.*, 1958, 35: 37-50. H
69. Swanson, A. L. Hospital organization, p. 37-42.
70. Dempster, G. Bacteriological fact finding. p. 42-44.
71. Ruane, M. K. Nursing technique, p. 45-46.
72. Buchan, D. J. On the medical wards. p. 47-48.
73. Nanson, E. M. On the surgical wards, p. 48-50.
74. Cant, W. H., Roberts, K. D. and Rogers, K. B. Suppurative pericarditis due to penicillin-and streptomycin-resistant staphylococcus. *Arch. Dis. Childh.*, Lond., 1955, 30: 465-466. S
75. Carrère, L. Emploi des autobactériophages dans le traitement des staphylococcies. *Montpellier méd.*, 1955, 47: 457-461. S
76. Case 133: Massachusetts General Hospital. *Am. Practitioner*, 1953, 4: 58-60. S
77. Case 43262: Massachusetts General Hospital. *N. England J. M.*, 1957, 256: 1238-1242. S
78. Casewell, H. T. Hospital staphylococcal infections. *Mod. Hosp.*, 1958, 90: 49-51. H
79. Castellani, A. Erythema axillarum perstans of micrococcal origin. *Dermatologica*, Basel, 1956, 113: 202-206. S
80. Cayla, A., Perrot, R. and Froideval, P. Sur un cas mortel de colite staphylococcique suraiguë par terramycine. *Bull. Méd.*, Par. 1954, 68: 415-416. S
81. Champendal, P. Étude bactériologique à propos d'une épidémie de staphylococcies en milieu hospitalier. Thesis (Berne-1957) 45p. 63 references. H
82. Chaptal, J. and Campo, A. Les pyopneumothorax à staphylocoques du nourrisson et de l'enfant. *Poumon*, Par., 1954, 10: 49-56. S
83. Chaumont, A. J. and Oppermann, A. Accident de travail mortel d'origine thérapeutique. *Ann. méd. lég.*, 1956, 36: 107-111. S



84. Chevalley, M., Binet, J. P. and Vermeil, G. Pneumonectomy chez un nourrisson de deux mois atteint de staphylococcie pleuro-pulmonaire. *Presse méd.*, 1955, 63: 1393-1394. S
85. Childs, S. B. and Beatty, E. C., Jr. Fatal enteritis; relation to antibiotic therapy. *Arch. Surg.*, 1954, 68: 486-490. S
86. Christianson, C. S., Dacquist, M. P. and Dobbs, W. H. Micrococcic (staphylococcic) enteritis; recovery following shock. *Gastroenterology*, 1954, 26: 645-649. S
87. Clapper, W. E., Secrest, R. R. and January, H. L. Clinical results and resistance of organisms remaining after treatment with erythromycin. *Antibiotics Annual*. 1956-1957, p. 616-632. SH
88. Clarke, A. J., McGeoch, A. H. and Sippe, G. R. Neonatal infection of the skin by staphylococcus pyogenes. *Med. J. Australia*, 1956, 43: 655-658. H
89. Claverie, P. Les staphylococcies pleuro-pulmonaires du nourrisson. *Toulouse méd.*, 1956, 57: 203-222. S
90. Clément, R., Gerbeaux, J., Le Brigand, H., Combes-Hamele, A. and Blas, F. Problèmes thérapeutiques des staphylococcies pleuro-pulmonaires du nourrisson. *Presse méd.*, 1955, 63: 788-792. S
91. Clinicopathologic conference. Baptist Memorial Hospital. J. Tennessee M. Ass., 1953, 46: 469-473. S
92. Coenegrachst, J. Un cas de staphylococcie. *Rev. méd. Liege*, 1954, 9: 741-742. S
93. Colebeck, J. C. and Sutherland, W. H. Staphylococcal infections in surgical units; the need for comprehensive control. *Canad. J. Surg.*, 1957, 1: 8-15. H
94. Colbeck, J. C. Studies in hospital infections. The importance of fomites in the spread of staphylococcal infections, with particular reference to mattresses and washing facilities. *Canad. Serv. M. J.*, 1956, 12: 563-580. 20 references. H
95. Colebrook, L. Infections acquired in hospital. *Lancet, Lond.*, 1955, 2: 885-891. H



96. Combe, P., Raffi, A. and Tricoire, J. Pleurésie purulente à staphylocoques d'allure primitive traitée par antibiotiques et méta-cortandracine chez un enfant de six mois. *Pédiatrie*, 1957, 12: 207-209 S
97. Cook, E., Eastman, G. and Bunn, P. The use of novobiocin in the management of acute pneumococcal and staphylococcal infections. *Antibiotics Annual*, 1956-1957, p. 396-401. S
98. Cook, J., Parrish, J. A. and Shooter, R. A. Acquisition of Staph. aureus by newborn babies in hospital maternity department. *Brit. M. J.*, 1958, 5062: 74-76. H
99. Cook, J., Elliott, C. Elliot-Smith, A., Frisby, B. R. and Gardner, A. M. Staphylococcal diarrhoea, with an account of two outbreaks in the same hospital. *Brit. M. J.*, 1957, 5018: 542-547. 44 references. H
100. Corridan, M. Antibiotic-resistant staphylococcal pseudo-membranous enteritis. *J. Clin. Path.*, Lond., 1956, 9: 131-135. 20 references. S
101. Coste, F., Delbarre, F., Basset, G. and Barset, F. Syndrome malin S apparenté au phénomène de Schwartzman au cours d'une staphylococcie maligne. *Sem. hôp.*, Paris, 1957, 33: 1252-1256.
102. Coutel, Y. and Gerbeaux, C. Staphylococcies fécales du nourrisson. *Nourrisson*, 1956, 44: 53-66. S
103. Cramer, R. and Rossi, E. Über Brechdurchfälle mit fatalem Kreislaufkollaps bei Kindern nach Chloromycetin-und Terramycinmedikation; Diskussion über die Staphylokokkenenteritis. *Helvet paediat. acta.*, 1953, 8: 544-560. S
104. Creyx, M., Leng-Lévy, J., David-Chaussé, J., Serres, A. and Laborie, G. Septicémie à staphylocoques archi-lente. *J. méd. Bordeaux*, 1955, 132: 795-803. Bibliography, p. 801-803. S
105. Crichton, J. U. Chronic staphylococcal enteritis in infants. *J. Pediat.*, S. Louis, 49: 553-557. S
106. Crosnier, R., Darbon, A., Dulac, J. F., Laurens, P. and Maftre, L. Méningite purulente à staphylocoque; échec des antibiotiques usuels; action spectaculaire de l'érythromycine. *Bull. Soc. med. hôp.*, Paris, 1954, 70: 16-21. S
107. Crowe, E. J. Acute staphylococcal enterotoxin food poisoning in a Victorian town. *Med. J. Australia*, 1954, 41: 468-470. C

108. Cruickshank, R. The epidemiology of skin infections. Brit. M. J., 1953, 4801: 55-59. H
109. Cunningham, J. A. and Beaven, D. W. Fatal enterocolitis due to antibiotics; a report of three cases. N. Zealand M. J., 1955, 54: 644-647. S
110. Dack, G. M. The role of enterotoxin of micrococcus pyogenes var. aureus in the etiology of pseudomembranous enterocolitis. Am. J. Surg., 1956, 92: 765-769. 18 references. S
111. Dailheu-Geoffray, P. Deux cas de maladie d'Osler à staphylocoque doré. Concours méd., 1955, 77: 4429-4430. S
112. Dalton, J. C. B., Williams, B. and Atkins, L. Staphylococcal endocarditis after mitral valvulotomy. Report of three cases. N. England J. M., 1956, 254: 205-210. S
113. Dardis, M. and McNicholl, B. Staphylococcal osteitis of the maxilla in a newborn infant. J. Irish M. Ass., 1957, 41: 28-29. S
114. Darke, C. S., Gray, J. E., Race, R.R. and Thompson, R. B. Fulminating Staphylococcal pneumonia associated with influenza virus C; report of a fatal case. Brit. M. J., 1957, 5045: 606-609. S
115. Dearing, W., Heilman, F. R. and Sauer, W. G. Micrococcic (staphylococcic) enteritis following the use of aureomycin or terramycin. Gastroenterology, 1954, 26: 38-40; passim. H
116. Déchéne, E. Considérations thérapeutiques concernant la pleurésie purulente staphylococcique du nourrisson. Laval méd., 1955, 20: 1053-1064. H
117. Degos, R., Garnier, G. and Guilaine. Psoriasis pustuleux généralisé; phases de pustules isolées avec staphylocoques pathogènes. Bull. Soc. fr. derm. syph., 1957, 64: 155-157. S
118. Delom, P., Pinson, Bernard and Soulage. Deux abcès du foie à staphylocoques. Marseille chir., 1954, 6: 150-154. S
119. Demeulenaere, L. and others. Considérations à propos de trois cas d'enterotoxigène staphylococcique. Arch. mal. app. digest, Par., 1955, 44: 1087-1089. S

120. Denys, P. and Stammen, J. Les staphylococcies pulmonaires et pleurales du nourrisson. *Acta paediat. belg.*, 1956, 10: 84-99. H
121. De Vries, J. A. and Pritchard, J. E. The increase in serious staphylococcal infections as shown by post-mortem investigation. *Canad. M. Ass. J.*, 1955, 73: 827-828. S
122. Dick, H. J. and Mullin, E. W. Myxoma of the heart complicated by blood-stream infection by *Staphylococcus aureus* and *Candida parapsilosis*. *N. York State J. M.*, 1956, 56: 856-859. S
123. Didier, R. and Samana, M. Pyo-pneumothorax à staphylocoque et bacille pyocyanique chez du nouveau-né. *Pédiatrie*, 1955, 10: 565-570. S
124. Difiore, J. *Staphylococcus aureus* septicemia, meningitis, endocarditis and septic embolization. *N. York State J. M.*, 1956, 56: 1948-1949. S
125. Disney, M. E., Wolff, J. and Wood, B. S. Staphylococcal pneumonia in infants. *Lancet, Lond.*, 1956, 270: 767-771. H
126. Dóbiás, G., Balló, T. and Keményvári, J. Über den Einfluss des Kolostrums auf den Staphylokokken- $\alpha$  - Antitoxintiter der Neugeborenen. *Zschr. Immunforsch.*, 1957, 114: 105-114. H
127. D'Oelsnitz, M., Ducas, D. and Long, P. Staphylococcie pulmonaire à forme d'abcès multiples chez un enfant de trois ans. *Pédiatrie*, 1954, 9: 73-76. S
128. Dolman, C. E. The staphylococcus; seven decades of research (1885-1955). *Canad. J. Microb.*, 1956, 2: 189-200. 57 references. S
129. Douglas, A. and Knights, H. T. Some public health aspects of an outbreak of penicillin-resistant staphylococcal infection in a maternity hospital. *N. Zealand M. J.*, 1956, 55: 378-387. 18 references. H
130. Dougherty, J. W., Reisch, M. and Lewis, G. M. Lowered resistance to infection resulting from cortisone and corticotropin. *N. York State J. M.*, 1954, 54: 2964-2967. S
131. Dowling, H. F., Lepper, M. H. and Jackson, G. G. Observations on the epidemiological spread of antibiotic-resistant staphylococci, with measurements of the changes in sensitivity to penicillin and aureomycin. *Am. J. Pub. Health*, 1953, 43: 860-868. 13 references. C



132. Dowling, H. F., Lepper, M. H., Caldwell, E. R., and Spies, H. U. H  
Staphylococcic endocarditis; an analysis of 25 cases treated with  
antibiotics together with a review of recent literature. *Medicine*,  
Balt., 1952, 31: 155-176. 49 references.
133. Drimmie, A. M. Cross-infection in a children's ward; the pneumo- H  
coccus as a tracer organism. *Scot. M. J.*, 1957, 2: 288-292.
134. Dubois, M. Le role de la contamination par le lait maternal les C  
staphylococcies néonatales. *Rev. prat.*, Par., 1954, 4: 493-495.
135. Duncan, I. B., Collins, A. M., Neelin, E. M., and Roy, T. E. H  
Nasal carriage of staphylococcus pyogenes by student nurses.  
*Canad. M. Ass. J.*, 1957, 11: 1001-1009. 19 references.
- Editorials. The hospital Staphylococcus. *Brit. M. J.*, 1958, 5064: 207-208. H
136. Staphylococcal infection in infancy. *Lancet*, Lond., 1958, 1: H  
250-251.
137. The current problem of staphylococcal infection. *Am. J. Pub. C H*  
*Health*, 1957, 47: 484-485.
138. Hospital cross-infection with staphylococci. *Bull. School M. H*  
*Univ. Maryland*, 41: 1-3.
139. Anti-biotic resistant micrococci (staphylococci). *J. Am. M. S*  
*Ass.*, 1954, 156: 608-609.
140. False faith in the surgeon's gown and surgical drape. *Am. J. H*  
*Surg.*, 1952, 83: 125-126.
141. Edmunds, P. N., Elias-Jones, T.F., Forfar, G.O. and Balf, C. L. C H  
Pathogenic staphylococci in the environment of the newborn infant.  
*Brit. M. J.*, 1955, 4920: 990-994. 15 references.
142. Eleb, C. and Conene, P. E. The virulence of staphylococcus H  
pyogenes for man; a study of the problems of wound infection. *Brit.*  
*J. Exp. Path.*, 1957, 38: 573-586. 27 references.
143. Enjalbert, L. and Monnier, J. La bacitracine dans le traitement S  
des porteurs rhino-pharyngés de staphylocoques pathogènes. *Sem.*  
*hép. Paris*, 1956, 32: 154-155.



144. Enticott, B. G. Some aspects of staphylococcal skin infections. N. Zealand M. J., 1956, 55: 237-242. 23 references. C H
145. Eriksen, K. R., Hansen, J. L. and Lund, F. Postoperative infection in surgery of the lung; prophylaxis with high level systemic penicillin therapy. Acta chir. scand., 1954, 107: 460-465. H
146. Evans, A. D. and Evans, M. Staphylococcal infections of the lower respiratory tract in adults with influenza. Lancet, Lond., 1956, 270: 771-773. S
147. Fairbrother, R. W. Mixed staphylococcal infections; the development of penicillin-resistant strains. Lancet, Lond., 1956, 270: 716-718. H
148. Fairlie C. W. and Kendall, R. E. Fatal staphylococcal enteritis following penicillin and streptomycin therapy. J. Am. M. Ass., 1953, 153: 90-94. S
149. Farquharson, C. D., Penny, S. F., Edwards, H. E. and Barr, E. The control of staphylococcal skin infections in the nursery. Canad. M. Ass. J., 1952, 67: 247-249. H
150. Faulkner, H. and Taylor, I. Nursery outbreak of Staphylococcus food poisoning. Med. World Lond., 1954, 81: 619-620. H
151. Feldman, F. and Annunziata, D. Staphylococcus aureus infection in the newborn infant. J. Pediat., S. Louis, 1952, 41: 399-402. H
152. Findlay, C. W., Jr. and Johnson, B. A. Novobiocin; antistaphylococcal action in postsurgical diarrhea. Antibiotics Annual, 1956, 2: 202-207. H
153. Finland, M. Staphylococci, antibiotics and endocarditis. Circulation, N. Y., 1957, 15: 641-645. 16 references. C H
154. Finland, M., Grigsby, M.E. and Haight, T.H. Efficacy and toxicity of oxytetracycline (terramycin) and chlortetracycline (aureomycin) with specific reference to use of 250 mg. every 4 to 6 hours and to occurrence of staphylococcic diarrhea. Arch. Int. M., 1954, 93: 23-43. H
155. Fisher, A. M. Staphylococcal pneumonia; a review of 21 cases in adults. N. England J. M., 1958, 258: 919-928. 25 references. S

156. Fisher, A. M., Wagner, H.N and Ross, R.S. Staphylococcal endocarditis; some clinical and therapeutic observations on thirty-eight cases. Arch. Int. M., 1955, 95: 427-437. 16 references. S
157. Fisher, J. H. and Swenson, O. Surgical complications of staphylococcic pneumonia. Pediatrics, 1957, 20: 835-847. 18 references. H
158. Fontan, Verger, Bentegat, Lafreyre-Mensignac and Estrade. Contribution à l'étude de l'endémie staphylococcique du nourrisson au moyen des bactériophages et des antibiogrammes. Pédiatrie, 1955, 10: 145-161. H
159. Forbes, G. B. and Emerson, G. L. Staphylococcal pneumonia and empyema. Pediat. Clin. N. America, 1957, February No: 215-229. 229 references. S H
160. Forfar, J. O. and Maccabe, A. F. Masking and gowning in nurseries for the newborn infant; effect on staphylococcal carriage and infection. Brit. M. J., 1958, 5062: 76-79. H
161. Forfar, J. O., Maccabe, A.F., Balf, C.L., Wright, H.A. and Gould, J.C. Staphylococcal infection in the newborn treated with erythromycin. Lancet, Lond., 1955, 268: 584-587. H
162. Forshall, I. Septic umbilical arteritis. Arch. Dis. Childh., Lond., 1957, 32: 25-30. H
163. Fortier, D., Cassette, Y. and Jacob, D. Les staphylococcies cutanées et leur traitement par la dynamycine. Laval méd., 1955, 20: 1056-1083. H
164. Foster, F. P. and Daley, J. L. Management of postoperative diarrheas and infections. Am. J. Surg., 1956, 92: 770-780. 40 references. H
165. Frame, H. F. and Short, D. W. Drug-induced enteritis. Lancet, Lond., 1955, 268: 434-435. S
166. Fraser, J. S. Retromammary breast abscess. Brit. J. Surg., 1956, 43: 330-331. H
167. Fusillo, M.H., Roerig, R.N. and Ernst, K.F. Phage typing the antibiotic-resistant staphylococci; incidence and phage type relationship of antibiotic-resistant staphylococci among hospital and non-hospital groups. Antibiotics, 1954, 4: 1202-1209. C H

168. Gardner, D. L. Aureomycin resistant staphylococcal enterocolitis; report of two fatal cases. *Lancet, Lond.*, 1953, 265: 1236-1238. S
169. Gautier, P. and Soulier, A. Un cas d'ostéomyélite costale à staphylocoques. *Lille chir.*, 1953, 8: 30-32. S
170. Gauvreau, L., Lapointe, D. and Jacob, D. Les infections à staphylocoque à la crèche Saint-Vincent-de-Paul. *Laval méd.*, 1955, 20: 147-163. H
171. Geifman, M. and Yonis, Z. Staphylococcic pneumonia in infancy. *Harefuah, Tel-Aviv.*, 1957, 52: 29-31. S
172. Gialdroni-Grassi, G., Pryles, C.V. and Finland, M. Controlled study of use of prophylactic antimicrobials in premature infants. *Pediatrics*, 1956, 18: 899-917. 25 references. H
173. Gibberd, G. F. Sporadic and epidemic puerperal breast infection. *Am. J. Obst.*, 1953, 65: 1038-1041. C H
174. Gillespie, W. A., Pope, R.C. and Simpson, K. Pemphigus neonatorum caused by *Staphylococcus aureus* type 71. *Brit. M. J.*, 1957, 5026: 1044-1046. 18 references. H
175. Gillespie, W. A. and Alder, V.G. Control of an outbreak of staphylococcal infection in a hospital. *Lancet, Lond.*, 1957, 272: 632-634. H
176. Girard, J., Michon, J., Lavergne, E. de and Michon, P. Localisation et traitement des staphylococcies. *Rev. méd. Nancy*, 1955, 80: 558-577. S
177. Girard, M., Fraisse, H. and Grivet, A. A propos d'un cas mortel d'entéro-colite cholériforme à staphylocoques après traitement à l'aureomycine. *Lyon méd.*, 1954, 86: 295-301. S
178. Girard, P.F. and Larbre. Phlébite fil de fer survenue dans les suites d'une staphylococcie amélioration fonctionnelle par la cortisone. *Lyon méd.*, 1954, 86: 229-233. S
179. Goerner, R.T., Green, I.J., Seal, J.R., Turner, M., Samsell, J.E. and Harper, W. Control of acute respiratory diseases in navy recruits. III. Pilot study using new disinfectant for elimination of environmental reservoirs. Research Project NM 005 051.05. 03. Department of the Navy, Bureau of Medicine and Surgery, February 1, 1954, p. 1-27. 101 references. C



180. Gohar, M. A. and Eissa, A.A. A staphylococcus outbreak of food poisoning. *Zschr. Hyg.*, 142: 389-395. C
181. Goldman, J. L., Bloom, S.M. and Herschberger, C. Bacteriologic and clinical interpretation of the flora of the nose and naso-pharynx in children. *J. Pediat.*, S. Louis, 1954, 44: 299-303. C
182. Gould, J. C. and Cruikshank, J.D. Staphylococcal infection in general practice. *Lancet, Lond.*, 1957, 273: 1157-1161. 16 references. C
183. Gould, J. C. The effect of local antibiotic on nasal carriage of *Staphylococcus pyogenes*. *J. Hyg., Lond.*, 1955, 53: 379-385. C H
184. Gould, J. C. and Killop, E. J. The carriage of *Staphylococcus pyogenes* var. *aureus* in the human nose. *J. Hyg., Lond.*, 1954, 52: 304-310. 27 references. C
185. Grangette, L. Cinq cas de staphylococcie pulmonaire à forme bulleuse au cours de la première enfance. *Maroc méd.*, 1956, 35: 603-609. S
186. Grant, A. P. and Barber, J. M. Staphylococcal pneumonia. *Ulster M. J.*, 1954, 23: 27-33. H
187. Graveleau, D. Staphylococcie pleuropulmonaire du nourrisson. *France méd.*, 1954, 17: 5-12. H
188. Gresham, G. A. and Gleeson-White, M. Staphylococcal broncho-pneumonia in debilitated hospital patients; a report of fourteen fatal cases. *Lancet, Lond.*, 1957, 272: 651-653. H
189. Grigsby, M. E., Chappelle, E. and Peacock, T. Erythromycin sensitivity of *micrococcus pyogenes* var. *aureus* in a hospital population. (development of resistance) *Antibiotics*, 1955, 5: 350-352. H
190. Groh, C. Staphylokokkensepsis mit akuter Endocarditis bei einem Säugling. *Neue Oesterr. Zschr. Kinderh.*, 1956, 1: 425-432. S
191. Groisser, V. W. Pseudomembranous enterocolitis due to staphylococcal infection and intestinal obstruction. *Am. J. Digest Dis.*, 1956, 1: 484-492. 22 references. S
192. Gruneis, P. and Haschek, H. Tödlicher Kreislaufkollapse nach antibiotischer Therapie; Superinfektion. *Wien klin. Wschr.*, 1953, 65: 990-992. S



193. Gunther, M. Acute mastitis. *Lancet*, Lond., 1956, 6909: 175-180. H
194. Habermann, G. and Treuhoff, I. Raumluf t desinfektion in der Hals-Nasen-Ohrenklinik; versuche zur Prophylaxe und Therapie der durch Staph. aur. ham. bedingten Ohreiterungen. *Zschr. Laryng.*, 1957, 36: 353-362. H
195. Haggemuller, F. Uber Erfahrungen mit oraler Penicillintherapie. *Hippokrates*, Stuttg., 1956, 27: 391-392. S
196. Hallowell, N. Three successive attacks of subacute endocarditis due to different organisms. *Brit. J. M.*, 1958, 5063: 147. S
197. Hainaut, H., Hallut, R., Bonnet, F. and Reginster-Lismonde, Y. Les suppurations pleuro-pulmonaires chez le nourrisson. *Rev. méd. Liège*, 1957, 12: 667-673. 24 references. H
198. Hardwicke, S.H., Howe, C.W., Lepper, M.H. and Liswood, S. Discussion of medical and administrative problems involved in control of staphylococcal and other infections in hospitals. *Hospitals*, 1957, 31: 47-66. 19 references. H
199. Hardymont, A. F. Control of infection in the newborn. *Canad. M. Ass. J.*, 1954, 70: 379-382. H
200. Hare, R. and Ridley, M. Further studies on the transmission of Staph. aureus. *Brit. M. J.*, 1958, 5062: 69-73. H
201. Hare, R. and Thomas, C. G. A. The transmission of staphylococcus aureus. *Brit. M. J.*, 1956, 4997: 840-844. 10 references. H
202. Hasenclever, H.F. Comparative in vitro studies of hospital strains of staphylococcus aureus with oleandomycin, tetracycline and oleandomycin-tetracycline. *Antibiotic M.*, 1958, 5: 14-18. H
203. Hausmann, W. and Karlish, A. J. Staphylococcal pneumonia in adults. *Brit. M. J.*, 1956, 4997: 845-847. H
204. Havens, I. and others. Relationship of respiratory flora and infected surgical wounds. 2. Changes in flora between 1952 and 1955. *Bacteriological Proceedings of the 56th. General Meeting of the Society of American Bacteriology*, Houston, April 29-May 3, 1956. 99p. H
205. Haysom, S. A. An antibiotic-induced staphylococcal enterocolitis. *Brit. M. J.*, 1955, 4930: 57. H

206. Heberer, G. Die pleuro-pulmonalen Eiterungen des Kindes-und Erwachsenenalters. Arch. klin. Chir., 1956, 281: 598-632. Bibliography, p. 630-632. H
207. Hering, H. Spezifische Toxoid-Therapie bei Staphylodermien. Zschr. Haut & Geschlkr., 1954, 16: 109-113. 17 references. S
208. Herrell, W. E. Erythromycin for infections due to Micrococcus pyogenes. J. Am. M. Ass., 1953, 152: 1601-1606. S
209. Heumann, G., Kirn, A. and Galleron, M. A propos de deux cas d'uretrite a staphylocoque enterotoxique après traitement aux antibiotiques. Arch. fr. pédiat., 1956, 13: 411-413. S
210. High, R. H. and Huang, N. N. Novobiocin; a limited chemical and bacteriologic study of its use in infants and children with Staphylococcus aureus infections. Antibiotics Annual 1956-1957, p. 411-419. H
211. Hinton, N. A. and Orr, J. H. Studies on the incidence and distribution of antibiotic-resistant staphylococci. J. Laborat. Clin. M., 1957, 49: 566-572. H
212. Hinton, N. A. and Orr, J. H. The distribution of toxins in coagulase positive staphylococci isolated from infections and carriers. J. Laborat. Clin. M., 1957, 50: 901-912. H
213. Hoffmann, H. U. Über die Eigenart von Staphylokokken-Infektionen im Säuglings-und Kindesalter. Zschr. ärztl. Fortbild., 1956, 50: 751-753. S
214. Hoffman, K. and Sauerbrei, H. U. Welche Bedeutung hat der Staphylococcus aureus im Säuglingsstuhl? Mschr. Kinderh., 1956, 104: 211-213. H
215. Holloway, W. J. and Scott, E. G. Studies on the staphylococcus. II. Nasopharyngeal carriers. Delaware M. J., 1956, 28: 4-5. C H
216. Holloway, W. J. and Scott, E. G. Studies on the staphylococcus. IV. Treatment of staphylococcal sepsis. Delaware M. J., 1956, 28: 151-155. S
217. Holloway, W. J. and Scott, E. G. Studies on the staphylococcus. V. Incidence and significance of the staphylococcus from the gastrointestinal tract. Delaware M. J., 1956, 28: 155-156. H

218. Horan, J. M. Acute staphylococcal pericarditis. *Pediatrics*, 1957, 19: 36-43. S
219. Houel, J. Le traitement chirurgical du pyopneumothorax staphylococcique de l'enfant. *Algérie méd.*, 1955, 59: 75-81. S
220. Howe, C. W. The problem of post-operative wound infections with *Staphylococcus aureus*. *Ann. Surg.*, 1957, 146: 384-396; discussion 396-398. 43 references. H
221. Howe, C. W. A discussion of the medical and administrative problems involved in the control of staphylococcic and other infections in hospitals. *Hospitals*, 1957, 31: 47-66. H
222. Howe, C. W. Prevention and control of postoperative wound infections owing to *Staphylococcus aureus*. *N. England J. M.*, 1956, 255: 787-794. 19 references. H
223. Howe, C. W. Postoperative wound infections due to *Staphylococcus aureus*. *N. England J. M.*, 1954, 251: 411-417. H
224. Hurst, V. *Staphylococcus aureus* in the infant upper respiratory tract. I. Observations on hospital-born babies. *J. Hyg., Lond.*, 1957, 55: 299-312. H
225. Hurst, V. *Staphylococcus aureus* in the infant upper respiratory tract. II. Observations on domiciliary-delivered babies. *J. Hyg., Lond.*, 1957, 55: 313-421. C
226. Hussarck, M. Über die Zunahme penicillin-und streptomycin-resistenter Eiterungen im Ohr. *Mschr. Ohrenh., Wien*, 1953, 87: 135-137. S
227. Hutchison, J. G. and Bowman, W. D. Staphylococcal epidemiology in a maternity hospital. *Acta paediat., Upps.*, 1957, 46: 125-143. H
228. Hutchison, J. G., Green, C. A. and Grimson, T. A. Nasal carriage of *Staphylococcus aureus* in nurses. *J. Clin. Path., Lond.*, 1957, 10: 92-95. H
229. Isbister, C., Durie, E. B., Rountree, P. M. and Freeman, B. M. A further study of the staphylococcal infection of the new-born. *Med. J. Australia*, 1954, 41: 897-900. H



230. Iten, C. Die "Pneumopathie bulleuse staphylococcique extensive." Praxis, Bern, 1956, 45: 668-672. S
231. Jackson, G. G., Dowling, H.F. and Lepper, M.H. Bacteriophage typing of staphylococci. II. Epidemiologic studies among patients, household contacts, and hospital personnel. J. Laborat. Clin. M., 1954, 44: 29-40. H C
232. Jacob-Dennery, A. Du rôle étiologique du staphylocoque dans l'erythrodermie du nourrisson. Thesis (Paris-1955). 30 L. S
233. Jacobson, W. and Smith, R. Clinical pathological conference. Minnesota M., 1956, 39: 230-235. S
234. Jansey, F. and Anthony, J. E., Jr. Staphylococcal septicemic spondylitis, with bilateral costotransversectomy. Q. Bull. Northwest. Univ. M. School, 1957, 31: 114-119. 18 references. S
235. Jellard, J. Umbilical cord as reservoir of infection in a maternity hospital. Brit. M. J., 1957, 5024: 925-928. 26 references. H
236. Jochims, J. and Wilchaus, I. Magamycin bei therapie resistenten Pyodermien des Säuglings. Arch. Kinderh., 1955, 150: 260-263. S
237. Johnson, T. D. and Hurst, J. W. Bacterial endocarditis due to penicillin-resistant staphylococcus; report of a case successfully treated with erythromycin, oxytetracycline and streptomycin. N. England J. M., 1954, 251: 219-221. S
238. Jonassen, O. T., Péquignot, H. and Etienne, J.P. Management of postoperative pseudomembranous enterocolitis with shock. N. England J. M., 1955, 252: 792-797. S
239. Jopling, W. H. and Schofield, F. D. Failure of antibiotics in a case of staphylococcal bacteremia. Brit. M. J., 1953, 4846: 1140. S
240. Josephson, J. E. and Butler, R.W. Hospital staphylococci. Canad. M. Ass. J., 1957, 77: 567-575. H
241. Joussemet, R. and Sebileau, L. Une observation d'abcés ossifluent chronique a staphylocoque. Mém. Acad. chir., Par., 1957, 83: 807-810. S
242. Justin-Besançon, L. and others. Meningite primitive a staphylocoques de l'adulte. Bull. Soc. méd. hôp., Paris, 1957, 73: 42-47. S



243. Kåss, A. Staphylococcal studies in a pediatric clinic. I. Carrier rates of pathogenic Staphylococci (*Micrococcus pyogenes* var. *aureus*) Thesis (Univ. Bergen-1956) 26p. H
244. Kalliomäki, J. L., Grönroos, J. A. and Davidsson, L. A. Septicaemia and dermonecroses associated with *Micrococcus pyogenes* var. *aureus*; a case successfully treated with erythromycin and skin grafts. *Ann. med. exp. biol. fenn.*, 1955, 33: 97-105. S
245. Kanof, A. and others. Staphylococcal pneumonia and empyema. *Pediatrics*, 1953, 11: 385-392. H
246. Kapp, D. F. and Collette, T. S. Fulminating infectious enterocolitis following broad spectrum antibiotic therapy. *Guthrie Clin. Bull.*, 1956, 25: 118-126. S
247. Kelen, A. and Stalker, M. R. Staphylococcal endocarditis. *Canad. M. Ass. J.*, 1955, 73: 837-838. S
248. Kempe, C. H. Antibiotic-resistant staphylococcus infections. *California M.*, 1956, 84: 242-245. H
249. Kempeneer, J., Lambert, S. and Joiris, E. Septicémie à staphylocoques dorés résistants aux antibiotiques. *Rev. méd.*, Liège, 1954, 9: 493-495. S
250. Kepkay, P. H. The use of intravenous hydrocortisone in the management of patients with vascular collapse and overwhelming infection. *Canad. Serv. M. J.*, 1956, 12: 399-405. S
251. Ketcham, A. S. and Brancato, F. P. Outbreak of postoperative micrococcal pneumonia; a clinical analysis with bacteriological data. *Arch. Surg.*, 1956, 73: 965-969. H
252. Kiehl, W., Loesche, H., May, M. and Meyer, W. "Über die Rolle der Pflegeperson bei Verbreitung von *Staphylococcus aureus* in Entbindungsanstalten. *Med. Mschr.*, 1957, 11: 640-641. H
253. Kienitz, M. and Küsyl, G. Zur Problematik chronischer Staphylokokkenkrankungen im Kindesalter. *Kinderärztl. Prax.*, 1956, 24: 110-118. S
254. Kienitz, M. Der Nachweis von Staphylokokken im Stuhl von Säuglingen und Kleinkindern, seine Deutung und Fehldeutung. *Mschr. Kinderh.*, 1956, 104: 214-215. S

255. Kienitz, M. Zur Kenntnis der gastrointestinalen Komplikationen nach Verabfolgung von Antibioticis bei Kindern. *Med. Klin. Berl.*, 1955, 50: 1227-1229. S H
256. Kikuth, W. and Grun, L. Zur Hygiene und Bakteriologie des Staphylokokken-Hospitalismus. *Deut. med. Wschr.*, 1957, 82: 549-553. H
257. Kirby, W.M., Forland, T. and Maple, F. M. Treatment of staphylococcic infections with erythromycin. *Arch. Int. M.*, 1953, 92: 464-470. S
258. Klarmann, E. G. Environmental disinfection; a factor in the control of staphylococcal hospital sepsis. *Am. J. Pharm.*, 1957, 129: 42-52. 31 references. H
259. Kleckner, S. J., Borgen, J.A. and Baggenstoss, A.H. Acute pseudomembranous enterocolitis. *Proc. Mayo Clin.*, 1953, 28: 313-319. S
260. Klein, M. and Levy, G. Considérations au sujet d'un cas d'inter-trigo staphylococque généralisé. *Bull. Soc. fr. derm. syph.*, 1957, 64: 212-213. S
261. Knight, V. and White, A. Drug resistant staphylococci. I. Their distribution in hospital patients. *South M. J.*, 1956, 49: 1173-1187. H
262. Knight, V. and Collins, H. S. Current view on the problem of drug resistant staphylococci and staphylococcal infection. *Bull. N. York Acad. M.*, 1955, 31: 549-568. 29 references. H
263. Knörr, K. and Wallace, A. Möglichkeiten zur Bekämpfung des Staphylokokken-Hospitalismus. *Deut. med. Wschr.*, 1957, 82: 1473-1475. H
264. Knörr, K. Keim-und Resistenzbestimmungen als Beitrag zur Ätiologie der Mastitis puerperalis und der Neugeboreneninfektionen. *Gynaecologia, Basel*, 1957, 143: 112-115. H
265. Knörr, K. and Wallne, A. Zur Ätiologie der Mastitis puerperalis und der Neugeboreneninfektionen; Keim-und Resistenzbestimmungen. *Deut. med. Wschr.*, 1956, 81: 1219-1222. H
266. Knothe, H. and Del Campo, J. Epidemiologische Untersuchungen über Antibiotika-resistente Staphylococcus. *Aerztl. Wschr.*, 1955, 10: 556-560. H

267. Koch, R. and Donnell, G. Staphylococcus infections in children. California M., 1957, 87: 313-316. S
268. Lack, C.H. Staphylococcal antibody in osteomyelitis and suppurative arthritis. Proc. R. Soc. M., Lond., 1957, 50: 625-628. S
269. Lacroix, A.A., Sayag, A., and Douart, T. Sur un cas de toxi-infection alimentaire collective à staphylocoques entéro-toxiques. Algérie méd., 1956, 60: 666-668. C
270. Landy, J.J., Havens, I. Clarke, J.S., and Benham, R.S. An outbreak of wound infections due to antibiotic-resistant Staphylococcus. Surg. Forum, 1954, 5: 814-817. H
271. Laporte. Localisation et traitement des affections à staphylocoques.. I. Prévention et traitement général des staphylococcies. J. méd. Lyon, 1956, 37: 371-380. S
272. Larue, K. and Lorenz, A. B. Staphylococcic infections in obstetrics and gynecology. Méd. Bull. U.S. Army Europe, 1957, 14: 106-108. S
273. Latimer, E.A., Fitzsimmons, E.J. and Rhoads, P.S. Hypogammaglobulinemia associated with a severe wound infection. J. Am. M. Ass., 1955, 158: 1344-1347. S
274. Lattes, A., Bateille, R., Vigneul, J. and Laufer, J. Staphylococcémie mortelle après avulsion dentaire; un cas d'épidurite. Rev. stomat., Par., 1955, 56: 55-64. S
275. Launay, C., Verliac, F. and Paillerets, F. de. Entérocologie cholériforme staphylococciques après ingestion de sulfamides. Presse méd., 1957, 65: 1037. S
276. Laurell, G. and others. Pathogenic bacteria in the pharynx and naso-pharynx of hospitalized children and their relation to clinical infection. Acta paediat., Upps., 1958, 47: 34-45. H
277. Laurell, G. and Wallmark, G. Studies on Staphylococcus aureus pyogenes in a children's hospital. V. Clinical and epidemiological aspects on staphylococcal infections. Acta path. microb. scand., 1954, 34: 19-33. 32 references. H



278. Lavergne, V. de, Heuilly, F., Burdin, J.C. and Lavergne, E. de. S  
 Au sujet des syndromes cholériformes post-mycothérapiques dus  
 au staphylocoque entérotoxique. Bull. Soc. méd. hôp., Paris, 1955,  
71: 313-317.
279. Lebon, J., Eisenteth, R., Gares, G. and Pearet-Bory, J.P. S  
 Diarrhée staphylocoques après terramycine; guérison par  
 l'érythromycine. Algérie méd., 1955, 59: 101-103.
280. Leckert, J.T. and Jastremaki, B. Staphylococcal septicemia; S  
 manifestations and treatment. J. Louisiana M. Soc., 1956, 108:  
 454-460. 20 references.
281. Lefroy, R.B. and Keall, D.D. Staphylococcal pneumonia occur- S C  
 ring during an influenza epidemic. Australas. Ann. M., 1954, 3:  
 299-304.
282. Legler, F., Burkhardt, F. and Wendrich, W. Staphylococcus C  
 aureus im Camembert-Käse als Ursache von Lebensmittel-  
 vergiftungen. Oeff. Gesundheitsdienst., 1957, 19: 198-203.
283. Lemon, H.H., Loosli, C.G., Wise, H. and Puck, T.T. Trans- C  
 mission and control of respiratory disease in army barracks.  
 III. The suppression of dust-borne bacteria by oiling floors and  
 bed clothes. J. Infect. Dis., 1952, 90: 141-152.
284. Leng-Levy, J., David-Chausse, J., Serres, A., Veaux, R. and C  
 Emeric, R. Mononucléose infectieuse associée à une septicémie  
 à staphylocoque. J. méd. Bordeaux, 1957, 134: 926-931.
285. Lepley, D., Jr. and Smith, M.B. Staphylococcal enterocolitis. H  
 Arch. Surg., 1957, 75: 377-385. Discussion p. 385-387.
286. Lepper, M.H., Jackson, G.G. and Dowling, H.F. Charac- H  
 teristics of the micrococcal nasal carrier state among hospital  
 personnel. J. Laborat. Clin. M., 1955, 45: 935-942.
287. Lepper, M.H. and others. Epidemiology of penicillin-and H  
 aureomycin-resistant staphylococci in hospital population. Arch.  
 Int. M., 1953, 92: 40-50.
288. Leslie, R. Evaluation of methods of applying oil to bed clothes H  
 and practical application of the selected method. J. Hyg., Lond.,  
 1953, 51: 502-508.

289. Letourneau, C. V. Nasocomial infections. *Hosp. Management*, 1957, 83: 41-42 passim.; 52-53, passim; 56-57, passim. H
290. Levin, M. N. Staphylococcal hospital infections. *N. England J. M.*, 1957, 256: 155-158. H
291. Lévy-Cavalleri, G. V. and Cartillier, H. Staphylococcie pulmonaire à forme pseudo-tumorale bilatérale; antibioresistance; guérison chirurgicale. *Bull. Soc. path. exot., Par.*, 1955, 48: 354-361. S
292. Lewisohn, M. *Micrococcus tetragenesis* septicemia; report of a case including subacute bacterial endocarditis of the pulmonic valve and mycotic aneurysm, with autopsy findings and review of the literature. *Arch. Int. M.*, 1957, 99: 824-832. S
293. Lin, F-K. and Coriell, L. L. Novobiocin; a laboratory and clinical evaluation. *Antibiotic M.*, 1956, 2: 268-276. S
294. Lloyd, R. and Foter, M. J. Efficiency of dry heat and formaldehyde in sterilizing used bedding. *Pub. Health Rep.*, 1955, 70: 810-816. H
295. Locatcher-Khorazo, D. and Gutierrez, E. Eye infections following cataract extraction, with special reference to the role of *Staphylococcus aureus*. *Am. J. Ophth.*, 1956, 41: 981-987. S
296. Loh Wei-Ping and Street, R. B., Jr. Staphylococci in a community hospital. I. Nasopharyngeal carrier rate of a hospital personnel on maternity wards and antibiotic sensitivity of the staphylococci isolated. *N. England J. M.*, 1957, 256: 177-179. H
297. Loiseau, G. and Marchand, R. Septicémie à staphylocoque doré d'origine sinusienne. *Ann. otolar., Par.*, 1957, 74: 723-725. S
298. Lowbury, E. J. Chemotherapy of *Staphylococcus aureus*; combined use of novobiocin and erythromycin and other methods in the treatment of burns. *Lancet, Lond.*, 1957, 273: 305-310. S
299. Lowbury, E. J. L. Cross-infection of wounds with antibiotic-resistant organisms. *Brit. M. J.*, 1955, 1: 985-990. H
300. Lowys, P., Lengrand, J. and Tison, F. Septicémie grave à staphylocoques consécutive à une angine. *Arch. fr. pediat.*, 1955, 12: 194-197. S



301. Lowys, P., Lengrand, J., Joly, H. and Tison, F. Staphylococcie pleuro-pulmonaire pseudo-tuberculeuse et ostéomyélite costale chronique. *J. fr. méd. chir. thorac.*, 1954, 8: 403-413. S
302. Lubetzki, J. Les complications pleurales des staphylococcies pulmonaires de l'enfant. *Presse méd.*, 1955, 63: 204-206. S
303. Ludlam, G. B. Incidence and penicillin sensitivity of Staphylococcus aureus in the nose in infants and their mothers. *J. Hyg., Lond.*, 1953, 51: 64-74. H
304. Lund, E. and Sylvest, O. Occurrence of resistant staphylococci in an institution for the aged in Copenhagen. *J. Geront.*, 1956, 11: 83-89. C
305. Lund, F. Forekomsten af kemoresistente stafylokokker på hospitalsafdelinger. 175p. Copenhagen, 1956. (Afhandling-Copenhagen) Bibliography, p. 163-174. English summary, p. 154-162. H
306. McCartney, J.E. Investigation of a staphylococcal epidemic in babies in a maternity hospital, and similar outbreaks in other hospitals. *Med. J. Australia*, 1956, 43: 50-53. H
307. McDermott, W. The problem of staphylococcal infection. *Brit. M. J.*, 1956, 4997: 837-840. H S
308. McDonald, S. and Timbury, M. C. Unusual outbreak of staphylococcal postoperative wound infections. *Lancet, Lond.*, 1957, 273: 863-864. H
309. Mackenzie, D. and McKim, J.S. Treatment of staphylococcal empyema in children. *Canad. M. Ass. J.*, 1956, 75: 914-917. S
310. MacLeish, D. Two cases of staphylococcal endocarditis with administration of cortisone as an important factor in the recovery of one of them. *Roy Melbourne Hosp. Rep.*, 1953, 23: 92-95. S
311. Macqueen, D.G. and Chisholm, W.M. Staphylococcal enteritis. *Treatm. Serv. Bull., Ottawa*, 1954, 9: 175-177. S
312. Magner, D. and Kussner, N. Staphylococcal pulmonary infection in infancy. *Am. J. Clin. Path.*, 1954, 24: 1391-1401. S



313. Marchand, M.C. Contribution à l'étude des staphylococcies pleuro-pulmonaires du nourrisson. 64 l. Paris, 1955. (Thèse-Paris). S
314. Marget, W. and Richarz, H. Über Staphylokokkeninfektionen im Kindesalter und deren Behandlung. Deut. med. Wschr., 1955, 80: 715-728. 20 references. H
315. Martin, R., Sureau, B., Chabbert, Y. and Martin, L. Guérison par la novobiocine d'une endocardite à staphylocoques rebelle aux autres antibiotiques. Bull. Soc. méd. hôp., Paris, 1956, 72: 1044-1052. S
316. Martin, W. J., Nichols, D.R. and Heilman, F.R. Observations on clinical use of phenoxymethyl penicillin (Penicillin V) J. Am. M. Ass., 1956, 160: 928-931. S
317. Martin, W.J., Heilman, F.R., Nichols, D.R., Wellman, W.E. and Geraci, J.E. Novobiocin (streptonivicin, cathomycin); further observations. Proc. Mayo Clin., 1956, 31: 416-419. S
318. Martin, W. J. and Nichols, D.R. and Geraci, J. E. Micrococcal (staphylococcal) enterocolitis; therapeutic considerations. Med. Ann. District of Columbia, 1954, 23: 419-422. S
319. Matthias, J.Q., Shooter, R.A. and Williams, R.E. Staphylococcus aureus in the faeces of hospital patients. Lancet, Lond., 1957, 272: 1172-1173. H
320. Melton, J. T. and Logue, B. Treatment of staphylococcal endocarditis; report of seven cases. Arch. Int. M., 1957, 99: 581-586. S
321. Mériel, P. and Fournie, A. Septicémies à staphylocoques et staphylococcémie. Toulouse méd., 1957, 58: 323-326. S
322. Messick, R. T., Bartholomew, L.G. and Geraci, J.E. Chronic micrococcal bacteremia without fever; report of a case. Proc. Mayo Clin., 1957, 32: 135-140. S
323. Meyer, A. Les staphylococcies pulmonaires; quelques aspects radiologiques. Sem hôp. Paris, 1955, 31: 1753-1759. S
324. Meyer, W. Zur Epidemiologie, Pathogenese und Prophylaxe der Mastitis, unter besonderer Berücksichtigung der Staphylokokkenlyso- typie. Aertzl. Wschr., 1957, 12: 809-816. Bibliography, p. 815-816. H

325. Meyer, W. Die endemische Verbreitung von Staphylokokken in Entbindungsanstalten. Zbl. Bakt. I. Abt. Orig., 1957, 168: 542-552. 36 references. H
326. Meynadier, A. Péritonite aiguë à staphylocoques du nourrisson. Pédiatrie, 1953, 8: 944-945. S
327. Michon, P. and Michon, J. Staphylococcie de haute gravité avec manifestations pleuro-pulmonaires. Guérison par érythromycine; auto-vaccin et transfusion. Presse méd., 1954, 62: 1790. S
328. Miller, G., Hansen, J.E. and Pollack, B.E. Staphylococcal endocarditis; a report of three cured cases. Am. Heart J., 1954, 47: 453-461. S
329. Milleret, P. and Wertheimer, P. Epidurite aiguë, primitive, à staphylocoques guérison par laminectomie et antibiotiques. Lyon, chir., 1955, 50: 69-71. S
330. Monnet, M. P. La cortisone dans les infections graves; à propos de deux observations; l'une de purpura fulminans méningococcique, l'autre de pachypleurite staphylococcique chez un jeune nourrisson. Lyon méd., 1955, 193: 145-154. S
331. Montgomery, M.M. Relation of ACTH and cortisone to infection. Med. Clin. N. America, 1955, January No. : 81-94. S
332. Morel, Poggioli, Girard, and Dirat. A propos d'une observation de superinfection staphylocoque pulmonaire mortelle. Toulouse méd., 1955, 56: 773-783. S
333. Morin, G., Mallet, R., Buchet, C., Hernandez and Combes, A. Staphylococcies pleuro-pulmonaires du nourrisson. J. radiol. électr., 1957, 38: 822-827. S
334. Moseley, R.W. Acute mastitis of the new born due to Micrococcus pyogenes var. aureus. U.S. Armed Forces M. J., 1954, 5: 371-374. H
335. Mounet, F., Depraz and Farouz, L. A propos d'une observation pyopneumothorax staphylococcique du nourrisson. J. méd., Lyon, 1954, 35: 679-682. S
336. Moustardier, G., Dulong de Rosnay, C. and Tournerie, J. Rôle des Staphylocoques pathogènes dans les syndromes intestinaux de l'adulte. Rev. immun., Par., 1957, 21: 96-101. S

337. Müller, F. Staphylokokken-Enteritis ( Syndrome cholériforme ) S  
eine Komplikation der antibiotischen Therapie. Deut. med. Wschr.,  
1956, 81: 1810-1813.
338. Muir, R. K., Nancekivel, A.F. and Starkey, H. Pathogenesis of S  
some staphylococcal pneumonias in adults. Canad. Serv. M. J.,  
1955, 11: 135-146.
339. Mukherji, A. Staphylococcus, the causative organism of summer C  
gastroenteritis at Lucknow, India. 23p. Zürich, 1955. (Inaug. -  
Diss. - Zürich)
340. Muller, B., Raoul-Duval, P., Bayle, J. and Meyrieux, A. A C  
propos d'une épidémie massive de toxi-infections alimentaires  
collectives à staphylocoques entérotoxiques, par ingestion de  
couscous. Rev. hyg. méd. sociale, 1955, 3: 364-369.
341. Muralt, G. Von. Die Staphylokokken-Infektion der ersten S  
Lebensmonate. Praxis, Bern, 1956, 45: 665-668.
342. Murphy, E. F. Staphylococcal endocarditis treated with erythro- S  
mycin. J. Irish M. Ass., 1955, 37: 340-341.
343. Murray, J. and Calman, R. M. Control of cross-infection by H  
means of an antiseptic hand cream. Brit. M. J., 1955, 4905:  
81-83.
344. Nagaki, S., Abe M, Saito, M. Ishii, K. Tomioka, S. and S  
Minamisawa, Y. Acute staphylococcal gastroenteritis with rash,  
the complication induced by antibiotic treatment. Jap. J. M. Sc.  
Biol., 1955, 8: 149-169.
345. Napp, J. and Berker, F. Die Häufigkeit resistenter Staphylo- H  
kokkenstämme bei Patienten un beim Personal verschiedener  
Kliniken. Zbl. Gyn., 1953, 75: 751-753.
346. Nebout, R. and Forestier, J. Septicémie à staphylocoques guérie S  
par la cortisone. Bull. Soc. méd. hôp., Paris, 1953, 69: 787-790.
347. Needham, G. M. and Nichols, D.R. Recent changes in sensi- S  
tivity of Micrococcus pyogenes to various antibiotics. J. Laborat.  
Clin. M., 1953, 41: 150-156.



348. Neuhold, R. and Thalhammer, O. Staphylokokkenenteritis mit fatalem Kreislaufkollaps als Folge antibiotisches Behandlung. *Klin. Med. Wschr.*, 1955, 10: 262-267. S
- New York Academy of Sciences. Staphylococcal infections (Conference) *Ann. N. York Acad. Sc.*, 1956, 65: 55-246.
349. Spink, W. W. The clinical problem of antimicrobial resistant staphylococci, p. 175-190. S
350. Finland, M. and Jones, W.F., Jr. Staphylococcal infections currently encountered in a large municipal hospital; some problems in evaluating antimicrobial therapy in such infections, p. 191-205. H
351. Knight, V., White, A., Foster, F. and Wenzel, T. Studies on staphylococci from hospital patients; II. Effect of antimicrobial therapy and hospitalization on carrier rates, p. 206-221. H
352. Collins, H.S., Helper, A.N., Blevins, A. and Olenberg, G. Staphylococcal bacteremia, p. 222-234. S
353. Dearing, W.H. Micrococcic enteritis and pseudomembranous enterocolitis as complications of antibiotic therapy, p. 235-242. S
354. Dubos, R. The unknowns of staphylococcal infection, p. 243-246. S
355. New York State Department of Public Health. Guide for prevention and control of infectious diseases in hospitals by the staff of the New York State Department of Public Health and the Subcommittee on Care of Communicable Diseases in General Hospitals of the American Public Health Association's Committee on Research and Standards. 1957. (Not in National Library of Medicine; on order) H
356. Nichol, B.A. Staphylococcus infections in medical cases. *Med. Bull. U.S Army Europe*, 1957, 14: 4-6; passim. S
357. Nichols, R. L. and Finland, M. Novobiocin; a limited bacteriologic and clinical study of its use in forty-five patients. *Antibiotic M.*, 1956, 2: 241-257. S
358. Nieman, E.A. Penicillin-resistant staphylococcal pericarditis. *Lancet, Lond.*, 1957, 272: 1330-1332. S

359. Nolen, W.A. and Fleischer, H.B. Drug-resistant pathogenic staphylococci in one community. N. England J. M., 1958, 258: 490-492. C
360. Nordland, J.J. and Border, C.W. Acute staphylococcal bacteremia; report of a successfully treated case. Q. Bull. Northwest. Univ. M. School, 1956, 30: 133-137. 15 references. S
361. Novel, E. De quelques cas récents à Genève d'intoxication alimentaire due au Staphylocoque doré. Ann. Inst. Pasteur Lille, 1955, 7: 133-135. C
362. Nyhus, R.E. and Burke, E.C. Pseudomembranous enterocolitis, medical treatment with recovery. Proc. Mayo Clin., 1954, 29: 513-518. S
363. O'Driscoll, D.T. Penicillin resistant staphylococcal septicemia. J. Irish M. Ass., 1952, 31: 343-348. S
364. Oeding, P. and Austarheim, K. The occurrence of staphylococci in the intestinal content after treatment with antibiotics; a bacteriological and anatomical study of routine autopsy material. Acta path. microb. scand., 1954, 35: 473-483. S
365. Olle, P. and Levrat, R. Les toxi-infections alimentaires à staphylocoques; à propos d'une observation récente. Toulouse méd., 1955, 56: 89-94. C
366. Pajérová, A. Zur Prophylaxe der Staphylokokkeninfektionen bei Neugeborenen. Kinderärztl., Prax., 1957, 25: 219-223. H
367. Palitzsch, D. Die Behandlung schwerer bakterieller Infektionen mit Terazyklinen. Deut. Gesundheitswes., 1957, 12: 1430-1433. H
368. Panting, N., Epstein, M.A. and Bolomey, A.A. Acute bacterial endocarditis following mitral valvuloplasty. Am. Heart J., 1955, 49: 455-458. S
369. Paris, J. Infection intestinale récidivante sévère à staphylocoques dorés pathogènes traitée par divers antibiotiques. Action favorable de l'érythromycin. Arch. mal. app. digest, Par., 1953, 42: 1408-1410. S



370. Parker, M.T. and others. Impetigo contagioso; the association of certain types of staphylococcus aureus and staphylococcus pyogenes with superficial skin infections. J. Hyg., Lond., 1955, 53: 453-473. 34 references. H
371. Parker, M.T. Staphylococcal food poisoning in the Manchester area. J. R. San. Inst., 1953, 73: 693-704. C
372. Parker, W.S. Food-poisoning at sea. Brit. M.J., 1954, 2: 22-25. C
373. Perry, J.W. The contribution of the laboratory to the problem of hospital infection. Med. J. Australia, 1954, 41: 339-340.
374. Phillips, L.V., Romansky, M.J. and Nasou, J.P. Staphylococcal septicemia and endocarditis secondary to cortisone treated ex-foliative dermatitis due to penicillin. Antibiotic M., 1955, 1: 254-258. S
375. Pichot-Janton, M., Coutel, Y. and Jezequel, C. Quelques aspects anatomocliniques des staphylococcies pleuropulmonaire du nourrisson. J. fr. méd. chir. thorac., 1954, 8: 533-545. S
376. Pillet, J. and others. Immunisation active et staphylococcies chroniques chez l'homme. Ann. Inst. Pasteur, Par., 1956, 90: 233-237. S
377. Pion, R. Septico-pyohémie à staphylocoques et psychose. Laval méd., 1955, 20: 47-51. S
378. Pouyanne, M. Abscès du foie à staphylocoques chez un nouveau-né compliqué de suppuration sous-phrénique puis de péritonite à évolution subaiguë; guérison. J. méd. Bordeaux, 1953, 130: 929-930. S
379. Prissack, F.H. Antibiotic-resistant staphylococci and related infections. Am. J. M. Sc., 1953, 225: 299-319. H
380. Propst, H.D. The effect of bactericidal agents on the sterility of surgical linen; an experimental and clinical study. Am. J. Surg., 1953, 86: 301-308. H
381. Pulaski, E.J. Novobiocin therapy of pyogenic surgical infections. Surg. Gyn. Obst., 1957, 104: 310-318. H



382. Putz, T.K. Über das Vorkommen des penicillinresistenten *Staphylococcus aureus haemolyticus* in der Luft der Säuglingsabteilung (Zugleich ein Beitrag zum Geneseproblem der Mastitis puerperalis). Arch. Gyn., Münch., 1953, 182: 783-792. 26 references. H
383. Raber, R., Hauswald, R. and Eber, R. A propos d'une staphylococcie pulmonaire. J. radiol. électr., 1954, 35: 927-928. S
384. Rackow, F. Staphylococcal pyothorax in infants. Brit. M.J., 1953, 4800 11-13. S
385. Ravelli, A. Lungenherde bei Osteomyelitis. Deut. med. Wschr., 1954, 79: 959-960. S
386. Ravenholt, R.T. and others. Epidemiology and prevention of nursery-derived staphylococcal disease. N. England J. M., 1957, 257: 789-795. H
387. Ravenholt, R.T. and La Veck, G.D. Staphylococcal disease; an obstetric, pediatric and community problem. Am. J. Pub. Health, 1956, 46: 1287-1296. H C
388. Reed, C.E. and Wellman, E.A. Staphylococcic endocarditis treated with neomycin; report of a case. J. Am. M. Ass., 1953, 152: 702-703. S
389. Rentchnick, K. L'evolution clinique et therapeutique des staphylococcies. Antibiotica, Basel, 1956, 3: 183-274. 108 references. S
390. Rentchnick, P. Die akute Staphylokokkenenterokolitis, eine ernste Komplikation der Antibiotika-Therapie. Deut. med. Wschr., 1955, 80: 892-895. S
391. Rentchnick, P. and Wohlers, H. Double complication (Pulmonaire et intestinale) a staphylocoques dorés provoqué par la terramycin. Helvet med. acta., 1955, 22: 473-476. S
392. Richarz, H. and Marget, W. Zur Frage der Staphylodermie und deren Folgeerscheinung im frühen Säuglingsalter; zugleich ein Beitrag zur Frage des Hospitalismus. Arch. Kinderh., 1955, 150: 263-274. H C

393. Rippon, J.E. and Vogelsang, T.M. Carriage of pathogenic staphylococci in the upper respiratory tract of children. *Acta path. microb. scand.*, 1956, 39: 284-296. H C
394. Roantree, R.J. and Rantz, A. Fatal staphylococcal endocarditis treated with erythromycin. *Arch. Int. M.*, 1955, 95: 320-325. 16 references. S
395. Robertson, H.R., Colbeck, J.C. and Sutherland, W.H. Some aspects of hospital infection. *Am. J. Surg.*, 1956, 92: 233-239. H
396. Rodgers, D.E. Staphylococcal infection. *D.M.*, 1958, April No: 48p. H S
397. Rogers, D.E. The current problem of staphylococcal infection. *Ann. Int. M.*, 1956, 45: 748-781. 97 references. H C
398. Roget, J., Guilhot, J. and Beaudoin, A. Pneumothorax staphylococciques non suppurés chez les nourrisson. *Pédiatrie*, 1956, 11: 559-564. S
399. Roodyn, L. Staphylococcal infection in general practice. *Brit. M.J.*, 1954, 4900: 1322-1325. C
400. Roos, L. Über eine Ernährungsstörung beim Brustkind durch infizierte Milch ohne Erkrankung der Mutter. *Kinderärztl. Prax.*, 1956, 24: 298-300. H
401. Rose, T.F. Antibiotic-attenuated chronic staphylococcal abscess simulating early carcinoma in lactating breast. *Med. J. Australia*, 1956, 2: 567-568. S
402. Rosi, P.A. and Laipply, T.C. Acute micrococcal (staphylococcal) gastroenterocolitis. *Q. Bull. Northwest. Univ. M. School*, 1956, 30: 35-42. S
403. Ross, S., Guin, G.H. and Jackson, C. Bilateral parotid gland abscess in newborn infant. *Clin. Proc. Child. Hosp.*, Wash., 1957, 13: 172-177. S
404. Rountree, P.M., Haseltine, M., Rheubin, J. and Shearman, R.P. Control of staphylococcal infection of the newborn by the treatment of nasal carriers in the staff. *Med. J. Australia*, 1956, 43: 528-532. H

405. Rountree, P.M. Staphylococci harboured by people in western highlands of New Guinea. *Lancet, Lond.*, 1956, 270: 719-720. C
406. Rountree, P.M. and Freeman, B.M. Infections caused by a particular phage type of *Staphylococcus aureus*. *Med. J. Australia*, 1955, 42: 157-161. H
407. Rountree, P.M., Freeman, B.M. and Barbour, R.G. Nasal carriage of *staphylococcus aureus* in the general population and its relation to hospitalization and to penicillin therapy. *Med. J. Australia*, 1954, 41: 457-460. C H
408. Roussau and Perreau. *Staphylococcie maligne*. *Bull. Soc. opht. France*, 1954, 5: 450-453. S
409. Ruys, A.C. Some epidemiological aspects of the spread of *Staphylococcus pyogenes*. *Docum.med. geogr., Amst.*, 1956, 8: 237-242. H C
410. Saint-Martin, M. Studies on pathogenic staphylococcal infections; Incidence of staphylococcal carriers among healthy children. *Canad. J. Pub. Health*, 1953, 44: 324-328. C
411. Saint-Martin, M., Sones, S. Desjardins, R. and Frappier, A. Studies on pathogenic staphylococcal infections: Incidence of penicillin-resistant strains in young healthy carriers and in clinical infections treated and not treated, with penicillin. *Canad. J. Pub. Health.*, 1954, 45: 202-207. C H
412. Sander, G.B. and Minnard, D.W. Postoperative pseudomembranous enterocolitis due to *staphylococcus*. *South. M. J.*, 1955, 48: 1226-1231. 18 references. S
413. Saroson, E.L. and Bauman, S. The problem of breast abscess in the puerperium. *Surg. Gyn. Obst.*, 1957, 105: 224-228. H S
414. Sarroquy, C., Combe, P., Houel, J. and Raffi, A. A propos des *staphylococcies pleuro-pulmonaires* du jeune enfant. *Algérie méd.*, 1956, 60: 443-451. S
415. Sawyer, C.D. and Walker, P.H. A bacteriological and clinical study of breast abscess. *Surg. Gyn. Obst.*, 1954, 99: 368-372. H



416. Schall, L., Warnecke, B. and Warnecke, H.H. Resistente Staphylokokken in einer Kinderklinik und ihre Bekämpfung. Münch. med. Wschr., 1957, 99: 913-916. H
417. Schirger, A., Martin, W.J. and Nichols, D.R. Micrococcal bacteremia without endocarditis; clinical data and therapeutic considerations. Ann. Int. M., 1957, 47: 39-48. S
418. Schneck, H. Recurrent Staphylococcus aureus pneumonia and empyema treated with novobiocin; review of the literature with report of a case. J. Pediat., S. Louis, 1957, 50: 570-578. S
419. Scott, T.J., Young, R.M. and Fanger, H. Incidence of staphylococci associated with enteritis and their sensitivity to antibiotics. Am. J. Clin. Path., 1955, 25: 1315-1320. S
420. Seneca, H. and Lattimer, J.K. Some implications of increasing antibiotic resistance of Micrococcus pyogenes var. aureus. Arch. Path., 1957, 64: 481-486. S
421. Senn, A. and Lundsgaard-Hansen, P. Zum Problem der Staphylokokkenenteritis nach Antibioticaverabreichung: Prophylaxe und Therapie, mit besonderer Berücksichtigung des Rovamycin (Specia), eines neuen Antibioticums. Helvet. med. acta., 1956, 23: 1-47. S
422. Serck-Hanssen, F. Penicillin-resistant staphylococci in a hospital's environment and in acute puerperal mastitis. Acta chir. scand., 1952, 104: 236-243. H
423. Seze, S. De and Debeyre, J. Spondylite staphylococcique. Rev. rhumat., Par., 1953, 20: 230-232. S
424. Shaffer, T.E., Baldwin, J.N., Rheine, M.S. and Sylvester, R.F., Jr. Staphylococcal infections in newborn infants. I. Study of an epidemic among infants and nursing mothers. Pediatrics, 1956, 18: 750-761. H
425. Shaffer, T.E., Sylvester, R.B., Baldwin, J.N. and Rheins, M.S. Staphylococcal infections in newborn infants. II. Report of 19 epidemics caused by an identical strain of staphylococcus pyogenes. Am. J. Pub. Health., 1957, 47: 990-994. H
426. Shaper, A.G. and Dyson, A. Cortisone, corticotropin and infection. Lancet, Lond., 1955, 268: 887-888. S

427. Sherman, A.J. Puerperal breast abscess. Report of an outbreak at Philadelphia General Hospital. *Obst. Gyn., N.Y.*, 1956, 7: 268-273. H
428. Shoemaker, E.H. and Yow, E.M. Clinical evaluation of erythromycin. *Arch. Int. M.*, 1954, 93:397-406. S
429. Shooter, R.A., Griffiths, J.D., Cook, J. and Williams, R.E. Outbreak of staphylococcal infection in a surgical ward. *Brit. M. J.*, 1957, 5016: 433-436. H
430. Shooter, R.A., Taylor, G.W., Ellis, G. and Ross, J.P. Postoperative wound infection. *Surg. Gyn. Obst.*, 1956, 103: 257-262. H
431. Smith, R.T. Epidemic staphylococcal gastroenteritis in newborn nursery. *J. Dis. Child.*, 1956, 92: 45-56. H
432. Sneddon, I. Skin affections of the school child. *Pub. Health, Lond.*, 1953, 67: 5-7. C
433. Solomon, S. and Johnston, B. The clinical use of erythromycin. *Am. J. M. Sc.*, 1955, 230: 660-674. S
434. Sompolinsky, D., Zyskinid, H., Oeding, P. and Rippon, J. E. A series of postoperative infections. *J. Infect. Dis.*, 1957, 100: 1-11. H
435. Speare, G.S. Staphylococcus pseudomembranous enterocolitis; a complication of antibiotic therapy. *Am. J. Surg.*, 1954, 88: 523-524. S
436. Stadler, H.E. and Stroh, R.H. Staphylococcus albus and systemic sensitization. *Arch. Pediat.*, N.Y., 1957, 74: 378-383. S
437. Staphylococcal food-poisoning in Staffordshire. *Lancet, Lond.*, 1953, 265: 196-197. C
438. Starkey, H. Control of staphylococcal infections in hospitals. *Canad. M. Ass. J.*, 1956, 75: 371-380. H
439. Steede, F.D. and Smith, H.W. Staphylococcal food-poisoning due to infected cow's milk. *Brit. M.J.*, 1954, 4887: 576-578. C



440. Steingold, L., Wood, J.H.F. and Finch, W.E. Observations on the disinfection of hospital blankets with quaternary ammonium compounds during laundering. *J. Appl. Bact.*, 1954, 17: 159-166. H
441. Stevenson, F.H. Infected arteriovenous fistula in the lung. *Lancet*, Lond., 1953, 1: 626-627. S
442. Stewart, D.T. and Cunningham, J.A. Fatal antibiotic-resistant staphylococcal enteritis arising in general practice; report of a case. *N. Zealand M.J.*, 1956, 55: 376-377. C
443. Stickler, G.B., Ellis, F.H., Jr. and Mills, D. Lobectomy for suppurative micrococcal pneumonia with pyopneumothorax in an infant; report of a case. *Proc. Mayo Clin.*, 1955, 30: 276-281. S
444. Stoppelman, M.R. Effect of antibiotics on nasopharyngeal flora of premature infants. *Am. J. Dis. Child.*, 1954, 88: 339-343. H
445. Straub, W. Beispiele schwerer Staphylokokken-Infektionen beim Säugling. *Praxis*, Bern, 1956, 45: 672-676. H
446. Strelinger, A. Enteritis due to antibiotic resistant cocci; a serious postoperative hazard. *J. M. Soc. N. Jersey*, 1955, 52: 461-465. S
447. Stringer, H.C. Skin staphylococci; a study of 130 coagulase strains and their antibiograms. *Austral. J. Derm.*, 1954, 2: 209-213. H
448. Studnitz, W. Von. Bilirubin-Aldolase-Lipoprotein-und Protein-veränderungen in menschlichen Serum bei akuter Nahrungsmittelvergiftung durch Staphylokokken. *Schweiz. med. Wschr.*, 1956, 86: 165-167. C
449. Suie, T. and Taylor, F. Incidence of coagulase-positive staphylococci in external ocular infections. *Arch. Ophth.*, 1955, 53: 706-707. S
450. Sullivan, J. Staphylococcal pneumonia. *Med. J. Australia*, 1956, 43: 700-702. H
451. Surgalla, M.J. and Dack, G.M. Enterotoxin produced by micrococci from cases of enteritis after antibiotic therapy. *J. Am. M. Ass.*, 1955, 158: 649-650. H



452. Symposium on staphylococcic infections: Discussion. Med. Bull. U.S. Army Europe, 1957, 14: 228-230. H C
453. Taft, L.I. Recent experiences with staphylococcal infection in childhood. Med. J. Australia, 1955, 2: 970-976. 16 references. H
454. Terplan, K. and others. Fulminating gastro-enterocolitis caused by staphylococci; its apparent connection with antibiotic medication. Gastroenterology, 1953, 24: 476-509. S
455. Terrier, G. Considérations sur l'importance actuelle des staphylococcies en oto-rhino-laryngologie. Pract. otorhinolar., Basel, 1956, 18: 347-353. S
456. Tetrault, A. Pneumonie staphylocoque chez l'adulte. Laval méd., 1957, 22: 191-199; passim. S
457. Thaysen, E.H. and Eriksen, K.R. Staphylococcal enteritis following administration of the tetracyclines. Antibiotics Annual, 1955-1956, p. 867-874. S
458. Thibaut, D. Epithelioma baso-cellulaire; excrèses et radium-therapy; vaste érosion staphylococcique du visage, spécifiquement sensible au chloramphénicol. Bull. Soc. fr. derm. syph., 1954, 61: 131-133. S
459. Thiodet, J., Fourrier, A., Massonnet, J., Cabanel, G. and Deynse, H. Staphylococcémies et staphylococcies viscérales métastatiques. Algérie méd., 1956, 60: 399-401. S
460. Todd, A.S. and Hopps, P.O. Staphylococcal enteritis; two associated fatal cases. Lancet, Lond., 1955, 269: 749-750. S C
461. Tongeren, H.A. Van. The isolation and some characteristics of bacteriophages from Staphylococci present in cases of secondary pneumonia following influenza. Antonie van Leeuwenhoek, Amst., 1954, 20: 81-86. H
462. Tremblay, M., Bergeron, C. and Lapointe, L. Infections à staphylocoques et gamma-globulines. Laval méd., 1957, 22: 149-158. S
463. Trocme, P., Carre, G. and Chedal, J. Sur quelques formes de staphylococcies pulmonaires et leur traitement. J. fr. méd. chir. thorac., 1953, 7: 365-375. S

464. Tulinius, S. and Rosendal, K. A staphylococcal infection in a maternity ward. *Acta path. microb. scand.*, 1956, Suppl. 111: 140-143. H
465. Tulboch, L.G. Nasal carriage in staphylococcal skin infections. *Brit. M.J.*, 1954, 4893: 912-913. S
466. Turnbull, R.B., Jr. Clinical recognition of postoperative micrococcic (staphylococcic) enteritis. *J. Am. M.Ass.*, 1957, 164: 756-761. S
467. Turnbull, R.B. Postoperative staphylococcal enteritis. *Am. J. Surg.*, 1956, 92: 781-786. H
468. Vachon, A., Francillon, J., Chapius, J. and Grivet, J. Entérocolites aiguës staphylococciques au cours d'un traitement par la terramycine et l'aureomycine. *Arch. mal. app. digest., Par.*, 1954, 43: 216-220. S
469. Varay, A. Les entérites staphylocoques complications des traitement d'antibiotiques. *Presse méd.*, 1954, 62: 440-441. S
470. Vogelsang, T.M. Staphylococcal studies in hospital staffs. I. Carrier rate of pathogenic staphylococci. *Acta path. microb. scand.*, 1963, 33: 294-300. H
471. Vogelsang, T.M. Staphylococcal studies in hospital staffs. II. Penicillin resistance determinations. *Acta path. microb. scand.*, 1953, 33: 301-311. H
472. Vogelsang, T.M. and Boe, J. Penicillin resistant staphylococci. III. Increasing incidence of resistant strains during stay in hospital. *Acta path. microb. scand.*, 1953, Suppl. 93: 349-355. H
473. Vogtherr, H. Über die Behandlung der Staphylokokkenerkrankungen im Säuglingsalter mit Erycinum. *Münch med. Wschr.*, 1957, 39: 706-709. H
474. Wain, H. and Blackstone, P.A. Staphylococcal gastroenteritis; report of a major outbreak. *Am. J. Digest. Dis.*, 1956, 1: 424-429. C
475. Wain, H. Staphylococcal gastroenteritis; a brief review and report of an outbreak. *Ohio M. J.*, 1952, 48: 1118-1120. C



476. Wakefield, R.D. and Sommers, S.C. Fatal membranous staphylococcal enteritis in surgical patients. *Ann. Surg.*, 1953, 138: 249-252. S
477. Walch, E. Antibiotikatherapie bei gynäkologischen und geburts-hilfflichen Infektionen in der Praxis. *Münch med. Wschr.*, 1955, 97: 1211-1214. C
478. Wall, J.A. and Kelsey, J.R., Jr. Post operative staphylococcic enterocolitis after antibiotic therapy; shock and oliguria after hysterectomy; report of a case with recovery. *Obst. Gyn.*, N.Y., 1956, 7: 547-551. 19 references. S
479. Wallman, I.S., Godfrey, R.C. and Watson, J.R.H. Staphylo-coccal pneumonia in infancy. *Brit. M.J.*, 1955, 4953: 1423-1427. H
480. Wallner-Luchesi, H. Erfahrungen bei der antibiotischen Behand-lung von Staphylodermien und Pneumonien im Kindesalter. *Wien klin. Wschr.*, 1957, 69: 49-51. H
481. Walsh, S.Z. and Craig, J.D. Generalized osteomyelitis in a newborn infant. *Pediatrics*, 1958, 52: 313-318. S
482. Warnecke, B. and Warnecke, H. Die Verbreitung und die anti-biotische Resistenzlage der pathogenen Staphylokokken in der ärztlichen Praxis. *Med. klin. Berl.*, 1957, 52: 1219-1221. C
483. Warren, W.R. and Kehoe, E.L. Psittacosis complicated by staphylococcal pneumonia. *Ann. Int. M.*, 1956, 44: 796-806. S
484. Wattiez, R. and Linz, R. Les staphylocoques pathogènes dans la pathologie digestive du nourrisson; note préliminaire. *Acta paediat. belg.*, 1954, 8: 124-132. H
485. Webb, J.F. Newborn infections and breast abscesses of staphylo-coccal origin. *Canad. M. Ass. J.*, 1954, 70: 382-388. H
486. Weinstein, L. Failure of chemotherapy to prevent the bacterial complications of measles. *N. England J. M.*, 1955, 253: 679-683. H
487. Weinstein, L., Goldfield, M. and Chang T-W. Infections occurring during chemotherapy. *N. England J. M.*, 1954, 251: 247-255. 69 references. H



488. Wilder, R.M., Jr. Staphylococcus bacterial endocarditis; report of a case in a narcotic addict. *Am. J. Med.*, 1957, 23: 325-328. S
489. Williams, E. Staphylococcal pseudomembranous enterocolitis complicating treatment with aureomycin. *Lancet, Lond.*, 1954, 267: 999-1000. S
490. Williams, J., Odenbrett, P. and Anderson, A.S. Staphylococcus infection in a nursery for newborn infants. *Minnesota M.*, 1957, 40: 231-232; passim. H
491. Williams, R.E.O. The progress of ideas on hospital infection. *Bull. Hyg., Lond.*, 1956, 31: 965-979. H
492. Wilson, R. and Hamburger, M. Fifteen years' experience with staphylococcus septicemia in a large city hospital; analysis of fifty-five cases in the Cincinnati General Hospital (1940-1954). *Am. J. Med.*, 1957, 22: 437-457. H
493. Winters, S.E. Staphylococcus infection of the temporomandibular joint. *Oral Surg.*, 1955, 8: 148-150. S
494. Wise, R.I. Epidemiological studies on antibiotic-resistant strains of *Micrococcus pyogenes*. *Am. J. Med.*, 1956, 20: 176-184. H
495. Wise, R.I. and Spink, W.W. The management of staphylococcal disease. *Bull. Univ. Minnesota Hosp.*, 1953, 24: 645-658. S
496. Wooldridge, B.F. and Swinton, N.W. Postoperative pseudomembranous enterocolitis. *Lahey Clin. Bull.*, 1955, 9: 130-134. S
497. Wyant, G.M. and Nanson, E.M. Fulminating postoperative staphylococcal bronchopneumonia. *Ann. Surg.*, 1957, 145: 133-137. S
498. Wysham, D.N., Mulhern, M.E., Navarre, G.C., La Veck, G.D., Kennan, A.L. and Giedt, W.R. Staphylococcal infections in an obstetric unit. I. Epidemiologic studies of pyoderma neonatorum. *N. England J. M.*, 1957, 257: 295-303. H
499. Wysham, D.N., Mulhern, M.E., Navarre, G.C., La Veck, G.D., Kennan, A.L. and Giedt, W.R. Staphylococcal infections in an obstetric unit. II. Epidemiologic studies of puerperal mastitis. *N. England J.M.*, 1957, 257: 304-306. H

500. Wysham, D.N. and Kirby, W.M.M. Micrococcic (staphylococcic) infections in a general hospital. J. Am. M. Ass., 1957, 164: 1733-1739. H

Supplement:

501. Ezzo, J.A.S., Knight, W.A., Jr. Bacterial shock, a clinical analysis of 38 cases. Arch. Int. M., 1957, 99: 701-707. S
502. Gresham, G.A. Staphylococcal pneumonia. Brit. J. Clin. Pract., 1958, 12: 247-252. 19 references. S
503. Jones, A.C. etc. The growth of Staph. aureus in milk with special reference to food poisoning. Month. Bull. Min. Health. Gt. Britain, 1957, 16: 109-121. C
504. Schatz, D. Staphylo-streptogene Infektionen im Bereich der Mundhöhle und der Lippen. 70p. Thesis-(Würzburg-1954) Bibliography. S
505. Smith, R.T. The role of the common carrier in an epidemic of staphylococcal disease in a newborn nursery. Am. J. Dis. Child., 1958, 95: 461-468. 15 references. H
506. Wilson, B.D. Problems arising in the management of staphylococcal pneumonia in infants and children. Proc. R. Soc. M., Lond., 1956, 49: 634-635. S H

